

HEAD OFFICE
ROCK EMPIRE s.r.o.
Nádražní 712
407 22 Benešov nad Ploučnicí
Czech Republic
tel.: +420 412 704 168
fax: +420 412 704 167
info@rockempire.cz
www.rockempire.cz

PRODUCTION ROCK EMPIRE TEAM
TECHNICAL CONSULTANTS Zbyněk Homola, Jiří Chaloupka, Jan Handlíř
GRAPHIC DESIGN Miloš Hampl
PHOTO Jindřich Hudeček, Jiří Chaloupka, Michal Linhart, Petr Piechowicz, Dan Ferrer,
Radek Vopat, Jiří Souček, Jaroslav Dunovský
PRINT BFHM Libouchec

ROCK[®]
EMPIRE

CLIMBING, SPELEOLOGY, CANYONING, WORKING IN HEIGHTS AND SIMILAR ACTIVITIES
ARE LIFE DANGEROUS AND CAN CAUSE INJURY OR DEATH. EVERY USER IS RESPONSIBLE
FOR THE RIGHT AND SAFE USE OF ALL PRODUCTS DESIGNED FOR THIS KIND OF
ACTIVITY. WE DO NOT TAKE ANY RESPONSIBILITY IN CASE OF CHANGES TO TECHNICAL
PARAMETERS OF OUR PRODUCTS. MISPRINTS AND CHANGES RESERVED.

PERFECT HARDWARE

ROCK[®]
EMPIRE

CLIMBING & OUTDOOR

PRODUCT CATALOGUE 2010/11

Dear customers, fans and partners of the Rock Empire

The roots of our outdoor equipment production date to the year 1990 where, as with many similar activities in this field, existed enthusiasm or dissatisfaction of mountain climbers, as well as the undreamt-of business possibilities after the Velvet Revolution in Czechoslovakia. Since the very beginning, a clear relationship was developed with the emerging trade network of HUDY Sport, which later led to the creation of its sister company, HUDY Production, in 1994. With this came the expansion of development and production for climbing harnesses. Since that time, the company has become a specialist in the field of climbing harnesses and the Rock Empire® trademark became synonymous with top mountaineering equipment. The development of the company was always closely connected to HUDY Sport Inc., which for years was successfully securing business activity for the Rock Empire® trademark at home, as well as abroad. In all those years together we succeeded in supporting many talents in climbing, and additionally supporting expeditions and top performances, not to mention some ordinary joys destined to the wide climbing public. These contacts were always very important decision-making factors for us regarding where to go next. But every development has its borders and we reached them in 2007 when we had to separate from the export-orientated production of HUDY Production and business activity of the HUDY Sport Ltd. network. The summer of 2008 saw the arrival of the current form of Rock Empire Ltd. and since the year 2009 the company has taken over the export ownership and management of the Rock Empire® trademark. These days, the company's products are sold across all continents at more than 30 countries worldwide. We continue to aspire to our activities in keeping the meaning of innovation, the use of values and your satisfaction. We do it by implementing it into our motto "Functional Design", meaning to develop and offer only what we ourselves have tried and what we are not ashamed of. We believe that your tastes and demands are similar.

Jiří Chaloupka
CEO

PERFECT HARDWARE

**ROCK
EMPIRE®**

ROCK EMPIRE s.r.o.
Nádražní 712
407 22 Benešov n/Pl.
Czech Republic
tel.: +420 412 704 168
fax: +420 412 704 167
info@rockempire.cz
www.rockempire.cz

Climbing, speleology, canyoning, working in heights and similar activities are life dangerous and can cause injury or death. Every user is responsible for the right and safe use of all products designed for this kind of activity. We do not take any responsibility in case of changes to technical parameters of our products. Misprints and changes reserved.

TOMÁŠ SOBOTKA

Together with another team member, Ondra Beneš, is well known for many first ascents on sand stone in Elb canyon graded VI to XIb. He prefers RP and OS style. Tomáš is also an author of many first ascents in mountains.

SELECTED ASCENTS

- Neuropatolog XIa RP, Příhazy
- Nejslabší máte padáka XIa, Elb canyon
- Peklo na zemi XIa/b 1.RP, Elb canyon
- Nirvana -RP XIa 1.ascent+RP, Elb canyon
- Patagonia-Escudo-The Dream 5.10 A4
- EL CAP - West face 5.11d OS, Yosemite, USA
- El nino 5.13c AF, Yosemite, USA
- Fitz Roy, Franco-Argentinean Route (with J. Hudeček), 6c+, A1 in 24 hours
- Always on the sun 7c+ OS 400m, Madagascar
- Between the showers AF 9, Fleischbank
- Shortcut RP 7c+, Tsaranoro, Madagascar



VENTURE

ONDRA BENEŠ

Ondra is not only an expert in climbing and making new routes on sand stone, but belongs also to top climbers in big walls. He managed multi-pitch Silbergeier 8b+ and also only third repeat of Bravo les Filles 8b in Madagascar.

SELECTED ASCENTS

- Nejslabší máte padáka XIa, Elb canyon
- Hadí oči XIa (8a+/b), Elb canyon
- Shortcut RP 7c+, Tsaranoro, Madagascar
- Silbergeier 8b+, Ratikon
- Bravo les filles 8b, Madagascar
- Lilith 7c+ OS (280m, 5 hours), Ratikon
- End of silence 350m 8b+ Bertessgarden, Germany
- Die kaiser neue kleide 8b+ 300m, Austria, wilderkaiser
- King line XIb, Elb canyon
- Nola 10+/11- Frankenjura
- Face de rat 8a+ OS Ceuse, France



DISCOVERY

MAREK HOLEČEK


For a long time Marek is the top Czech climber, who is signed under many difficult routes on sandstone and in mountains (Alps, Patagonia, Karakoram, Himalaya). Marek together with Jan Kreisinger was awarded Golden Piton for their first ascent on Meru Central (Filek's ...).

SELECTED ASCENTS

- New line M.P.J. 8/A3+, Central Tower, Chile/Patagonia
- El Niño 5.13c AF, El Capitan, Yosemite, USA
- Otikovi mokré sny 9-/9, Peak 4810, 1st ascent, Ochotkurova paběda 8+/A4, 1st ascent, Octouber Kyrgyzstan/ Pamiro-Alaj
- Nepal Kyashar 6750m 1st ascent „Ramro Chaina“ M6+ WI 6
- India Mt. Meru 6310m 1st ascent „Filkův nebeský smích-“ 7a, M5, 80°
- Pakistan Kapura Peak 6200m 1st ascent Wild Wings WI 5+, M7 70°
- Afganistan Kohe Uparisina 6260m 1st ascent Sweet 65° WI 5, 70°
- Pakistan Gasherbrum I. solo ascent 8068m Japonský kuloár
- Argentina Aconcagua 6960m - Polish Glacier



COURAGE



ELEGANCY

EDITA VOPATOVÁ

Edita is a young and talented climber and all around athlete. Sport rock climbing is her favorite climbing discipline in which she achieved leading positions in national and international climbing charts. In her career as a competition climber, she has gained the title of junior champion of the Czech Republic four times, and champion of the Czech Challenge.

SELECTED ASCENTS

- Vzpomínky Na Minulost Xa RP/OS, Tisá
- Simon 10- PP, Frankenjura
- Osho 10- PP, Frankenjura
- Polymorphie 10- PP, Frankenjura
- Zawinul Syndicate 7c/c+ OS, Kalymnos
- Tzatziki Vikiki 7c OS, Kalymnos
- Burinator 8a PP, Ceuse
- Sílové Pole Xa PP, Elb canyon
- Známka Panku Xa PP, Adršpach
- Očistec Xb PP, Elb canyon

HARNESSES



GUARDIAN QB	VESPER QB	SIRION QB	STREAK QB	PEAK QB	KRON QB	LIGHTNING	SELLA	SKIALP	SPEEDY QB	SPECTRUM	CANYON	EIGHT VARIO*	APACHE QB	SPELEO	KOROWAI	SKILL ADVENTURE
-------------	-----------	-----------	-----------	---------	---------	-----------	-------	--------	-----------	----------	--------	--------------	-----------	--------	---------	-----------------

CODE	VUG001	VUV001	VUS002	VUS003	VUP002	VUK004	VUL003	VUS004	VUS001	ZUG002	VUS005	VUC001	VUV002	VUA001	VUS006	VUK001	VUL002	
WEIGHT (g/oz.)	430/ 15	430/ 15	310/ 11	459/ 16	410/ 14	545/ 19	350/ 12	700/ 25	230/ 9	545/ 19	600/21	405/ 14	240/ 8	380/ 13	720/ 25	390/ 17	750/ 26	
XS	65 - 73	62 - 70	65 - 73	68 - 100	60 - 70	65 - 85	57 - 70	ONE SIZE	57 - 70	57 - 100	68 - 100	57 - 100	ONE SIZE	ONE SIZE	57 - 100	65 - 81	ONE SIZE	
S	70 - 80	69 - 77	70 - 80		63 - 77		63 - 76		63 - 76									
M	78 - 86	75 - 83	78 - 85		65 - 80		72 - 85		72 - 85									
L	83 - 92	80 - 89	83 - 92	80 - 130	70 - 88	81 - 100	80 - 93		80 - 93		80 - 130					79 - 105		
XL	89 - 100	-	-		75 - 92		87 - 100		87 - 100									
XXL	-	-	-		80 - 96		-		-									
XS	47 - 52	45 - 50	45 - 52	50 - 70	40 - 58	48 - 60	43 - 53	ONE SIZE	43 - 53	43 - 71	50 - 70	43 - 71	ONE SIZE	ONE SIZE	43 - 71		44 - 56	ONE SIZE
S	50 - 57	48 - 53	48 - 55		43 - 60		47 - 57		47 - 57									
M	52 - 58	52 - 58	50 - 58		48 - 64		52 - 62		52 - 62									
L	56 - 62	56 - 60	56 - 62	56 - 75	52 - 68	57 - 66	57 - 67		57 - 67		56 - 75					52 - 68		
XL	60 - 66	--	-		56 - 74		61 - 71		61 - 71									
XXL	-		-		60 - 78		-		-									

ROCK						BIG WALL	MOUNTAIN			INDOOR & SPECIAL					ADVENTURE		
------	--	--	--	--	--	----------	----------	--	--	------------------	--	--	--	--	-----------	--	--


This useful summary will help you to choose the right gear for your climbing performance or adventure.
* Eight Vario - use in combination with sit harness only.

CAMS



AXEL				COMET			PULSAR			FLEXOR			
SIZE	RANGE min/max	WEIGHT	STRENGHT	RANGE min/max	WEIGHT	STRENGHT	RANGE min/max	WEIGHT	STRENGHT	RANGE min/max	WEIGHT	STRENGHT	SIZE
0.25	-	-	-	12-16,5 mm/ 0,47-0,63 in	65g/ 2,29 oz.	7 kN	-	-	-	12-16 mm/ 0,47-0,63 in	76g/ 2,68 oz.	7 kN	0.25
0.5	-	-	-	14-20 mm/ 0,55-0,79 in	70g/ 2,47 oz.	9 kN	-	-	-	14-20 mm/ 0,55-0,79 in	81g/ 2,86 oz.	9 kN	0.5
0.7	-	-	-	17-24,5 mm/ 0,67-0,94 in	72g/ 2,54 oz.	10 kN	-	-	-	16-22 mm/ 0,63-0,87 in	84g/ 2,96 oz.	10 kN	0.7
1	20-28 mm/ 0,79-1,10 in	50g/ 1,79 oz.	8 kN	20-29 mm/ 0,79-1,14 in	89g/ 3,14 oz.	11 kN	19-30 mm/ 0,75-1.18 in	105g/ 3,70 oz.	14 kN	19-27 mm/ 0,75-1.06 in	97g/ 3,42 oz.	11 kN	1
2	23-37 mm/ 0,94-1,46 in	60g/ 2,11 oz.	10 kN	27-41 mm/ 1,06-1,61 in	97g/ 3,42 oz.	11 kN	25-40 mm/ 0,98-1.57 in	114g/ 4,06 oz.	14 kN	22-33 mm/ 0,87-1.30 in	106g/ 3,74 oz.	11 kN	2
3	29-46 mm/ 1,14-1,81 in	89g/ 3,14 oz.	14 kN	35-53 mm/ 1,38-2,08 in	131g/ 4,62 oz.	12 kN	35-53 mm/ 1,38-2,09 in	153g/ 5,40 oz.	14 kN	27-43 mm/ 1,06-1,69 in	115g/ 4,06 oz.	11 kN	3
4	37-60 mm/ 1,46-2,36 in	110g/ 3,87 oz.	14 kN	48-67 mm/ 1,89-2,64 in	155g/ 5,47 oz.	12 kN	44-77 mm/ 1,73-2,72 in	174g/ 6,14 oz.	12 kN	33-53 mm/ 1,30-2,10 in	151g/ 5,33 oz.	12 kN	4
5	48-77 mm/ 1,89-3,03 in	160g/ 5,63 oz.	14 kN	61-91 mm/ 2,4-3,58 in	220g/ 7,76 oz.	12 kN	58-90 mm/ 2,28-3,62 in	214g/ 7,55 oz.	12 kN	43-67 mm/ 1,69-2,64 in	168g/ 5,93 oz.	12 kN	5
6	64-102 mm/ 2,52-4,02 in	240g/ 8,45 oz.	14 kN	72-113 mm/ 2,84-4,45 in	250g/ 8,82 oz.	12 kN	73-118 mm/ 2,87-4,65 in	258g/ 9,10 oz.	12 kN	55-85 mm/ 2,17-3,35 in	223g/ 7,87 oz.	12 kN	6
7	-	-	-	90-140 mm/ 3,54-5,51 in	310g/ 10,93 oz.	12 kN	99-146 mm/ 3,9-5,75 in	322g/ 11,36 oz.	12 kN	70-105 mm/ 2,76-4,13 in	275g/ 9,70 oz.	12 kN	7

This useful summary will help you to choose the right gear for your climbing performance or adventure.



CLIMBING GEAR
HARNESSES SERIES

VUG001

GUARDIAN QB

Excellent harness for rock climbing. Double belay loop for technical climbing and belaying.

Weight: 430 g/15 oz. (M)
Size: XS-XL
Colour: Blue



- ADJUSTABLE LEG LOOPS
- 4 GEAR LOOPS
- GEAR LOOPS STRENGTH 5KG
- 3D PADDING
- GEAR HOLDER



GEARHOLDER



DELTA SHAPE

HARNESSES
ROCK SERIES

Size	XS	S	M	L	XL
A cm	65-73	70-80	78-86	83-92	89-100
B cm	47-52	50-57	52-58	56-62	60-66
A in	25-28	27-31	30-33	32-36	35-39
B in	18-20	19-22	20-23	22-24	23-26



Rock	■	■	■	■	■
Big Wall	■	■	■	■	■
Mountain	■	■	■	■	■
Indoor	■	■	■	■	■
Via Ferrata	■	■	■	■	■
Ski Tours	■	■	■	■	■
Canyon	■	■	■	■	■

VUS002

SIRION QB

Very light harness designed for extreme sport climbing.

Weight: 310 g/11 oz. (M)
Size: XS-L
Colour: Blue/White



- UNICLY SHAPED
- 4 GEAR LOOPS
- GEAR LOOPS STRENGTH 5KG
- 3D PADDING



BODY GEOMETRY



LIGHT BUCKLE



CONICAL SHAPE

HARNESSES
ROCK SERIES

Size	XS	S	M	L
A cm	65-73	70-80	78-85	83-92
B cm	45-52	48-55	50-58	56-62
A in	26-29	28-32	31-34	33-36
B in	18-21	19-22	20-23	22-24



Rock	■	■	■	■	■
Big Wall	■	■	■	■	■
Mountain	■	■	■	■	■
Indoor	■	■	■	■	■
Via Ferrata	■	■	■	■	■
Ski Tours	■	■	■	■	■
Canyon	■	■	■	■	■

HARNESSES
ROCK SERIES

VUV001

VESPER QB

Specially designed for women. Easily adjustable and comfortable leg loops. Double belay loop for technical climbing and belaying.

Weight: 430 g/15 oz. (M)
Size: XS-L
Colour: Green



- ADJUSTABLE LEG LOOPS
- 4 GEAR LOOPS
- GEAR LOOPS STRENGTH 5KG
- 3D PADDING
- GEAR HOLDER



GEARHOLDER



DELTA SHAPE

Size	XS	S	M	L
A cm	62-70	69-77	75-83	80-89
B cm	45-50	48-53	52-58	56-60
A in	24-27,5	27-30	29-32	31-35
B in	17-19	18-21	20-23	22-23



Rock	■	■	■	■	■
Big Wall	■	■	■	■	■
Mountain	■	■	■	■	■
Indoor	■	■	■	■	■
Via Ferrata	■	■	■	■	■
Ski Tours	■	■	■	■	■
Canyon	■	■	■	■	■

VUS003

STREAK QB

Light and sporty. The Streak is fully adjustable and comfortable sport climbing harness.

Weight: 450 g/ 16 oz. (XS-M)
Size: XS-M, M-XXL
Colour: Grey



- 4 QB BUCKLES
- ADJUSTABLE LEG LOOPS
- 4 GEAR LOOPS
- GEAR LOOPS STRENGHT 5KG
- 3D PADDING
- GEAR HOLDER



CONICAL SHAPE



QUICK BUCKLE

HARNESSES
ROCK SERIES

Size	XS-M	M-XXL
A cm	68-100	80-130
B cm	50-70	56-75
A in	25-33	32-39
B in	19-23	22-26



SPECIAL
Set

See pages 41/42

Rock	
Big Wall	
Mountain	
Indoor	
Via Ferrata	
Ski Tours	
Canyon	

VUP002

PEAK QB

Redesigned harness with QB buckles. A well-established fully adjustable and comfortable sport climbing harness.

Weight: 410 g/14 oz. (M)
Size: XS-XXL
Colour: Gold



- ADJUSTABLE LEG LOOPS
- 4 GEAR LOOPS
- GEAR LOOPS STRENGHT 5KG



HARNESSES
ROCK SERIES

Size	XS	S	M	L	XL	XXL
A cm	60-70	63-77	65-80	70-88	75-92	80-96
B cm	40-58	43-60	48-64	52-68	56-74	60-78
A in	24-28	25-30	26-31	28-35	30-36	32-38
B in	16-23	17-24	19-25	20-27	22-29	24-31



SPECIAL
Set

See pages 41/42

Rock	
Big Wall	
Mountain	
Indoor	
Via Ferrata	
Ski Tours	
Canyon	

VUS005

SPECTRUM

A universal and light harness used for work, rescue and climbing. A harness with one main tie in loop and two additional tie in points. Confirming with European work and climbing norms. CE 1019, EN 358, EN 813 and EN 12277.

Weight: 600 g/ 21 oz.
Size: XS-M, M-XXL
Colour: Red



- ADJUSTABLE LEG LOOPS
- 4 QB BUCKLES
- 4 GEAR LOOPS



POSITIONAL LOOP



POSITIONAL LOOP



GEARHOLDER



DELTA SHAPE

HARNESSES
BIGWALL SERIES

Size	XS-M	M-XXL
A cm	65-85	81-100
B cm	48-60	57-66
A in	25-33	32-39
B in	19-23	22-26



Rock	
Big Wall	
Mountain	
Indoor	
Via Ferrata	
Ski Tours	
Canyon	

HARNESSES
MOUNTAIN SERIES



Size	XS-M	M-XXL
A cm	68-100	80-130
B cm	50-70	56-75
A in	25-33	32-39
B in	19-23	22-26



Rock	
Big Wall	
Mountain	
Indoor	
Via Ferrata	
Ski Tours	
Work	

SKILL BELT  **two in one**  KRON QB



KRON QB
ONLY SPORT CLIMBING HARNES

EN 12277

540 g

See page 9



SPECTRUM
MULTI-FUNCTIONAL HARNES

EN 12277 / EN 358 / EN 813

600 g

See page 9



SKILL BELT
ONLY INDUSTRIAL HARNES

EN 358 / EN 813

990 g

VUS001

SKIALP

Specially designed harness for ski-touring and glacier-touring.

Weight: 230 g/9 oz. (M-L)

Size: XS-XL

Colour: Black

- REMOVABLE LEG LOOPS
- 2 GEAR LOOPS
- EASY TO PUT ON

Size	XS	S	M	L	XL
A cm	57-70	63-76	72-85	80-93	87-100
B cm	43-53	47-57	52-62	57-67	61-71
A in	22-28	25-30	28-33	31-37	34-39
B in	17-21	19-22	20-24	22-26	24-28



Rock
Big Wall
Mountain
Indoor
Via Ferrata
Ski Tours
Canyon



HARNES
MOUNTAIN SERIES

VUS004

SELLA

Full body harness designed for Via ferrata routes and for starting, intermediate climbers.

Weight: 700 g/25 oz.

Size: One size fits all.

- 2 GEAR LOOPS
- 2 QB BUCKLES ON LEG LOOPS



Rock
Big Wall
Mountain
Indoor
Via Ferrata
Ski Tours
Canyon



HARNES
MOUNTAIN SERIES

VUL003

LIGHTNING

Comfortable all-round harness with a unique system.

Weight: 350 g/12 oz. (M)

Size: XS-XL

Colour: Orange/ Black

- ADJUSTABLE REMOVABLE LEG LOOPS
- 4 GEAR LOOPS
- GEAR LOOPS STRENGTH 5 KG
- EASY TO PUT ON

Size	XS	S	M	L	XL
A cm	57-70	63-76	72-85	80-93	87-100
B cm	43-53	47-57	52-62	57-67	61-71
A in	22-28	25-30	28-33	31-37	34-39
B in	17-21	19-22	20-24	22-26	24-28



Rock
Big Wall
Mountain
Indoor
Via Ferrata
Ski Tours
Canyon



HARNES
MOUNTAIN SERIES



ZUG002

SPEEDY QB

Non-padded harness suitable for via ferrata and indoor climbing.

Weight: 545 g/19 oz.
Size: One size fits all
Colour: Black



- ADJUSTABLE LEG LOOPS
- 3 QB BUCKLES
- 1 GEAR LOOP



HARNESSES
INDOOR & SPECIALS

Size	One size
A cm	57-100
B cm	43-71
A in	22-39
B in	17-28



See pages 41/42

Rock	
Big Wall	
Mountain	
Indoor	
Via Ferrata	
Ski Tours	
Canyon	

VUS006

SPELEO

Non-padded harness for speleological activities. Equipped with a webbing protection against abrasion. The carabiner is not a part of the product and can be ordered separately.

Weight: 720 g/25,4 oz.
Size: One size fits all.
Colour: Black / Yellow

- 3 GEAR LOOPS
- 4 QB BUCKLES
- SHIPPED WITHOUT THE CARABINER



HARNESSES
INDOOR & SPECIALS

Size	One size
A cm	57-100
B cm	43-71
A in	22-39
B in	17-28



Rock	
Big Wall	
Mountain	
Indoor	
Via Ferrata	
Ski Tours	
Canyon	
Speleology	



VUV002

EIGHT VARIO

Chest harness to be used in combination with a sit harness. Red tie in points.

Weight: 240 g/8 oz.
Size: one size

- ADJUSTABLE SHOULDERS



HARNESSES
INDOOR & SPECIALS



See pages 41/42

Rock	
Big Wall	
Mountain	
Indoor	
Via Ferrata	
Ski Tours	
Canyon	

VUC001

CANYON

Non-padded harness suitable for canyoning in combination with Sit Protection.

Weight: 405 g/14 oz.
Size: One size fits all.
Colour: Black

- 1 GEAR LOOP
- ADJUSTABLE LEG LOOPS



new

HARNESSES
INDOOR & SPECIALS

Size	One size
A cm	57-100
B cm	43-71
A in	22-39
B in	17-28



Rock	
Big Wall	
Mountain	
Indoor	
Via Ferrata	
Ski Tours	
Canyon	



CLIMBING GEAR
HARNESSES SERIES

VUK001

KOROWAI

Harness specially designed for use in adventure parks.

Weight: 390 g/17 oz.
Colour: Green



- 2 GEAR LOOPS
- ADJUSTABLE LEG LOOPS
- 3 QB BUCKLES
- 3D PADDING



HARNESSES
ADVENTURE SERIES

Size	XS-M	M-XXL
A cm	65-81	79-105
B cm	44-56	52-68
A in	26-32	31-41
B in	17-22	21-27



Rock
Big Wall
Mountain
Indoor
Via Ferrata
Ski Tours
Canyon
Adventure Park



VUA001

APACHE QB

Full body harness for person between 100 and 140 cm (max. 40 kg) height.

Weight: 380 g/13 oz.
Size: One size fits all.



- 2 GEAR LOOPS
- FULLY ADJUSTABLE



HARNESSES
INDOOR & SPECIALS

Rock
Big Wall
Mountain
Indoor
Via Ferrata
Ski Tours
Canyon



VWL002

LANYARD Y 140

A brand new belaying device for adventure parks.

Weight: 500 g/17,6 oz.
Size: 140 cm
Colour: White



BELAYS
ADVENTURE SERIES

VUL002

SKILL ADVENTURE

Light full body harness for use in adventure parks.

Weight: 750 g/26,4 oz.



EN 12277 / EN 361

- 2 GEAR LOOPS
- 4 QB BUCKLES
- TIE-IN POINT ON THE BACK




TIE-IN POINT
ON THE BACK

Rock
Big Wall
Mountain
Indoor
Via Ferrata
Ski Tours
Canyon
Adventure Park



HARNESSES
ADVENTURE SERIES



MACHINED CAMS
ACTIVE PROTECTION

ZFF002

FLEXOR

Improved shape of segments. Flexible stem perfect for horizontal cracks. Extendable colour coded dyneema slings.

CE



- 10 SIZES
- ONE STEM CAM
- EXTENDABLE SLINGS
- COLOUR CODED



ZFA002


AXEL

New double axle construction. Colour coded extendable dyneema sling.


CE

- 6 SIZES
- ONE STEM CAM
- EXTENDABLE SLINGS
- COLOUR CODED

new



DOUBLE AXLE



MACHINED CAM



COLOUR CODED



STORIED CONSTRUCTION


ZFP001

PULSAR

Superb stability. U-shape. Extendable colour coded dyneema slings.



- 7 SIZES
- U-SHAPE CAM
- COLOUR CODED



ZFC001

COMET

One stem construction. Lightweight. Colour coded triggers and dyneema slings.



- 10 SIZES
- LIGHT-WEIGHT
- DYNEEMA SLINGS
- COLOUR CODED



AXEL				COMET			PULSAR			FLEXOR			
SIZE	RANGE min/max	WEIGHT	STRENGHT	RANGE min/max	WEIGHT	STRENGHT	RANGE min/max	WEIGHT	STRENGHT	RANGE min/max	WEIGHT	STRENGHT	SIZE
0.25	-	-	-	12-16,5 mm/ 0,47-0,63 in	65g/ 2,29 oz.	7 kN	-	-	-	12-16 mm/ 0,47-0,63 in	76g/ 2,68 oz.	7 kN	0.25
0.5	-	-	-	14-20 mm/ 0,55-0,79 in	70g/ 2,47 oz.	9 kN	-	-	-	14-20 mm/ 0,55-0,79 in	81g/ 2,86 oz.	9 kN	0.5
0.7	-	-	-	17-24,5 mm/ 0,67-0,94 in	72g/ 2,54 oz.	10 kN	-	-	-	16-22 mm/ 0,63-0,87 in	84g/ 2,96 oz.	10 kN	0.7
1	20-28 mm/ 0,79-1,10 in	50g/ 1,79 oz.	8 kN	20-29 mm/ 0,79-1,14 in	89g/ 3,14 oz.	11 kN	19-30 mm/ 0,75-1,18 in	105g/ 3,70 oz.	14 kN	19-27 mm/ 0,75-1,06 in	97g/ 3,42 oz.	11 kN	1
2	23-37 mm/ 0,94-1,46 in	60g/ 2,11 oz.	10 kN	27-41 mm/ 1,06-1,61 in	97g/ 3,42 oz.	11 kN	25-40 mm/ 0,98-1,57 in	114g/ 4,06 oz.	14 kN	22-33 mm/ 0,87-1,30 in	106g/ 3,74 oz.	11 kN	2
3	29-46 mm/ 1,14-1,81 in	89g/ 3,14 oz.	14 kN	35-53 mm/ 1,38-2,08 in	131g/ 4,62 oz.	12 kN	35-53 mm/ 1,38-2,09 in	153g/ 5,40 oz.	14 kN	27-43 mm/ 1,06-1,69 in	115g/ 4,06 oz.	11 kN	3
4	37-60 mm/ 1,46-2,36 in	110g/ 3,87 oz.	14 kN	48-67 mm/ 1,89-2,64 in	155g/ 5,47 oz.	12 kN	44-77 mm/ 1,73-2,72 in	174g/ 6,14 oz.	12 kN	33-53 mm/ 1,30-2,10 in	151g/ 5,33 oz.	12 kN	4
5	48-77 mm/ 1,89-3,03 in	160g/ 5,63 oz.	14 kN	61-91 mm/ 2,4-3,58 in	220g/ 7,76 oz.	12 kN	58-90 mm/ 2,28-3,62 in	214g/ 7,55 oz.	12 kN	43-67 mm/ 1,69-2,64 in	168g/ 5,93 oz.	12 kN	5
6	64-102 mm/ 2,52-4,02 in	240g/ 8,45 oz.	14 kN	72-113 mm/ 2,84-4,45 in	250g/ 8,82 oz.	12 kN	73-118 mm/ 2,87-4,65 in	258g/ 9,10 oz.	12 kN	55-85 mm/ 2,17-3,35 in	223g/ 7,87 oz.	12 kN	6
7	-	-	-	90-140 mm/ 3,54-5,51 in	310g/ 10,93 oz.	12 kN	99-146 mm/ 3,9-5,75 in	322g/ 11,36 oz.	12 kN	70-105 mm/ 2,76-4,13 in	275g/ 9,70 oz.	12 kN	7

This useful summary will help you to choose the right gear for your climbing performance or adventure.



STOPPERS PASSIVE PROTECTION

ZFV001

VECTOR SET

Asymmetric stoppers, 5 sizes four different possible size placements.



Position



Size	Strength A	Strength B	Weight
1	8 kN	5 kN	26 g/ 0,92 oz.
2	10 kN	10 kN	28 g/ 0,98 oz.
3	12 kN	10 kN	32 g/ 1,13 oz.
4	12 kN	10 kN	40 g/ 1,41 oz.
5	12 kN	12 kN	52 g/ 1,83 oz.



ZFG001

GRANITE SET

Perfect for crack climbing. Granite excels in high strength and low weight.



Position



Size	Strength A	Strength B	Weight
1	6 kN	-	17 g/ 0,60 oz.
2	8 kN	6 kN	24 g/ 0,85 oz.
3	9 kN	8 kN	25 g/ 0,88 oz.
4	10 kN	9 kN	26 g/ 0,92 oz.
5	10 kN	10 kN	28 g/ 0,99 oz.
6	10 kN	10 kN	31 g/ 1,09 oz.
7	10 kN	10 kN	33 g/ 1,16 oz.
8	10 kN	10 kN	36 g/ 1,27 oz.
9	12 kN	12 kN	41 g/ 1,44 oz.
10	12 kN	12 kN	50 g/ 1,76 oz.
11	12 kN	12 kN	57 g/ 2,01 oz.



ZFA001

ALU-NUTS SET

A combination of high-quality materials and a straight or slightly bent shape offer you great gear for protection in various cracks and scars. The slightly bent shape of the stoppers makes their placing easy and safe. These stoppers are manufactured from aluminium alloy in nine sizes.



Position



Size	Strength A	Strength B	Weight
1	9 kN	8 kN	24 g/ 0,85 oz.
2	9 kN	8 kN	25 g/ 0,88 oz.
3	9 kN	8 kN	26 g/ 0,92 oz.
4	10 kN	10 kN	27 g/ 0,95 oz.
5	10 kN	10 kN	29 g/ 1,02 oz.
6	10 kN	10 kN	32 g/ 1,13 oz.
7	10 kN	10 kN	36 g/ 1,27 oz.
8	12 kN	12 kN	43 g/ 1,52 oz.
9	12 kN	12 kN	50 g/ 1,76 oz.



ZFB001

BRASS-CHOCK SET

8 sizes of standard wedge-shaped stoppers provide with Granite a unique combination of passive protection for almost any kind of cracks.



Position



Size	Strength A	Strength B	Weight
1	6 kN	-	17 g/ 0,60 oz.
2	6 kN	-	18 g/ 0,63 oz.
3	7 kN	-	19 g/ 0,67 oz.
4	7 kN	4 kN	26 g/ 0,91 oz.
5	8 kN	7 kN	28 g/ 0,98 oz.
6	8 kN	7 kN	30 g/ 1,05 oz.
7	9 kN	8 kN	34 g/ 1,19 oz.
8	9 kN	8 kN	38 g/ 1,34 oz.





ROCK & INDOOR QUICKDRAWS

QUICKDRAWS

COMBI



SEC002

R.E. set COMBI

Carabiner: K-Lock/ Wire
Weight: 93 g/ 3,28 oz.
Sling length: 110 mm/ 4,33 in
Sling width: 20 mm/ 0,79 in
Material (sling): PA (nylon)
Strength: 28/8/9 kN
Style: eloxed

CLASSIC



SEC001

R.E. set CLASSIC

Carabiner: K-Lock
Weight: 98 g/ 3,45 oz.
Sling length: 110 mm/ 4,33 in
Sling width: 16 mm/ 0,63 in
Material (sling): PA (nylon)
Strength: 24/8/7 kN
Style: polished and eloxed

BOND



SEB001

R.E. set BOND

Carabiner: K-Lock
Weight: 105 g/ 3,70 oz.
Sling length: 110 mm/ 4,33 in
Sling width: 25/16 mm/ 0,98/ 0,63 in
Material (sling): PA (nylon)
Strength: 28/8/9 kN
Style: eloxed

BOND PROMO



SEB002

R.E. set BOND PROMO

Carabiner: K-Lock
Weight: 109 g/ 3,84 oz.
Sling length: 130 mm/ 5,12 in
Sling width: 25/16 mm/ 0,98/ 0,63 in
Material (sling): PA (nylon)
Strength: 28/8/9 kN
Style: eloxed

WIRE



SEW001

R.E. set WIRE

Carabiner: wire
Weight: 78 g/ 2,75 oz.
Sling length: 110 mm/ 4,33 in
Sling width: 12 mm/ 0,47 in
Material (sling): Dyneema
Strength: 28/8/9 kN
Style: eloxed

INDUS



SEI001

R.E. set INDUS

Carabiner: maillon/ wire
Weight: 221 g/ 7,80 oz.
Sling length: 130 mm/ 5,12 in
Sling width: 25/ 16 mm/ 0,98/ 0,63 in
Material (sling): PA (nylon)
Strength: 30/10 kN
Style: zink plated/ matt metal



BELAY SYSTEMS & CARABINERS

K-LOCK
system



ZRC007

HMS 120 TWIST LOCK

Carabiner: HMS Twist Lock
Weight: 93 g/3,28 oz.
Strength: 24/8/8 kN
Gate aperture: 23 mm/0,91 in
Style: eloxed

EN 362 / EN 12275

K-LOCK
system



ZRC003

HMS 110

Carabiner: HMS K-Lock
Weight: 88 g/3,10 oz.
Strength: 24/8/8 kN
Gate aperture: 23 mm/0,91 in
Style: polished

EN 12275

K-LOCK
system



ZRC001

HMS 120

Carabiner: HMS K-Lock
Weight: 93 g/3,28 oz.
Strength: 24/8/8 kN
Gate aperture: 23 mm/0,91 in
Style: eloxed

EN 12275



ZRC012

CARABINER STEEL OVAL

Carabiner: steel
Weight: 170 g/5,97 oz.
Gate aperture: 25 mm/1 in
Strength: 25/8/8 kN
Style: polished

EN 362 / EN 12275



ZRC013

CARABINER STEEL SCREW

Carabiner: steel screw - D
Weight: 223 g/7,86 oz.
Gate aperture: 25 mm/1 in
Strength: 45/13/20 kN
Style: polished

EN 362

K-LOCK
system



ZRC002

CARABINER SG-KL

Carabiner: K-Lock
Weight: 72 g/2,54 oz.
Gate aperture: 20 mm/0,79 in
Strength: 28/8/8 kN
Style: eloxed

EN 12275



ZWB002

R.E. ASCENDER

Excellent holding power, great rubber grip. For right or left hand.

Weight: 220 g/7,8 oz.
Rope diameter: 8 - 11 mm
Style: grey eloxed

EN 567



ZWB001

R.E. DESCENDER

Self blocking rappel break.

Weight: 325 g/11,5 oz.
Rope diameter: 8 - 11 mm
Style: grey eloxed

EN 341/A

K-LOCK
system



ZRC011

CARABINER R.E. SGN

Carabiner: standard
Weight: 70 g/2,47 oz.
Gate aperture: 20 mm/0,79 in
Strength: 28/8/8 kN
Style: eloxed



ZRB002

R.E. GUARD

Rope: 9 - 11 mm
Weight: 54 g/1,90 oz.
Style: eloxed



ZRB001

R.E. EIGHT

Weight: 106 g/3,74 oz.
Strength: 30 kN
Style: eloxed



EXPRESS & OPEN SLINGS
EXPRESS SLINGS



VED003

SEWN SLING DYNEEMA 10 mm

Length	Strength	Width
11 cm/4 in	22 kN	10 mm /0,39 in
16 cm/6 in	22 kN	10 mm /0,39 in
21 cm/8 in	22 kN	10 mm /0,39 in
26 cm/10 in	22 kN	10 mm /0,39 in



VEP003

SEWN SLING FLASH 25/16 mm

Length:	11 cm/ 4,33 in	16
Strength:	22 kN	25



VEP002

SEWN SLINGS 16 mm PA

Length	Strength	Width
11 cm/4 in	22 kN	16 mm /0,63 in
16 cm/6 in	22 kN	16 mm /0,63 in
21 cm/8 in	22 kN	16 mm /0,63 in
26 cm/10 in	22 kN	16 mm /0,63 in



VEP004

SEWN SLING PROMO 25/16 mm

Length:	14 cm/ 5,5 in	16
Strength:	22 kN	25



VED005

DAISY CHAIN DYNEEMA 10 mm

Length:	110 cm/43,31 in
	140 cm/55,12 in
Width:	10 mm/0,47 in
Strength:	22 kN



VOD002

OPEN SLINGS DYNEEMA 10 mm

Strength:	22 kN
Width:	10 mm /0,39 in
Length:	31 cm, 12 in / 60 cm, 23 in / 80 cm, 31 in / 120 cm, 47 in / 150 cm, 59 in / 180 cm, 70 in / 240 cm, 94 in



VOP001

OPEN SLINGS 20 mm PA

Strength:	22 kN
Width:	20 mm /0,78 in
Length:	31 cm, 12 in / 60 cm, 23 in / 80 cm, 31 in / 120 cm, 47 in / 150 cm, 59 in / 180 cm, 70 in / 240 cm, 94 in



VEP001

SEWN SLING 20 mm PA

Length	Strength	Width
11 cm/4 in	22 kN	20 mm /0,78 in
16 cm/6 in	22 kN	20 mm /0,78 in
21 cm/8 in	22 kN	20 mm /0,78 in
26 cm/10 in	22 kN	20 mm /0,78 in



VED002

DAISY CHAIN DYNEEMA 13 mm

Length:	110 cm/43,31 in
	140 cm/55,12 in
Width:	13 mm/0,47 in
Strength:	22 kN

VOD001

OPEN SLINGS DYNEEMA 13 mm

Strength:	22 kN
Width:	13 mm /0,47 in
Length:	31 cm, 12 in / 60 cm, 23 in / 80 cm, 31 in / 120 cm, 47 in / 150 cm, 59 in / 180 cm, 70 in / 240 cm, 94 in



VOP002

OPEN SLINGS 16 mm PA

Strength:	22 kN
Width:	16 mm /0,63 in
Length:	31 cm, 12 in / 60 cm, 23 in / 80 cm, 31 in / 120 cm, 47 in / 150 cm, 59 in / 180 cm, 70 in / 240 cm, 94 in



VED001

SEWN SLINGS DYNEEMA 13 mm

Length	Strength	Width
11 cm/4 in	22 kN	13 mm /0,47 in
16 cm/6 in	22 kN	13 mm /0,47 in
21 cm/8 in	22 kN	13 mm /0,47 in
26 cm/10 in	22 kN	13 mm /0,47 in



ACCESSORIES & VIA FERRATA

VTI001

INHIBITOR TECH

Elastic bands, automatic carabiners.

Weight: 528 g/19 oz.



SPECIAL
Set

See pages 41/42



ZSG001

GLOVES ROCK

Intended for via ferrata and work with rope. Leather gloves with Kevlar padding and stretch fabric.



ZWG001

GLOVES WORKER

Black natural fine leather in combination with special breathable stretch material.

ZSL001

ROPE BACKPACK

A simple bag for carrying all your climbing stuff combined with a climbing rope sheet. Two straps easy to carry.



VWV001

CARGO

Orange colour. Multipurpose back sack made of synthetic fabric. Adjustable shoulder straps and drain hole in the bottom. Two handles. Ideal for transport of climbing material.



ZSC001

CRASH PAD

Larger dimension for all your bouldering needs.

Weight: 5500 g/178,80 oz.
Size: 105 x 65 x 19 cm/ 41,3 x 25,6 x 7,5 in
(open) 129 x 105 x 9 cm/ 50,8 x 41,3 x 3,5 in



CHALK BAGS

Size: Small (Buoux) SC003
Medium (Arco) SC002
Large (Verdon) SC004

ZSM001

MAGNESIUM BAG

350 g



ZSM002

MAGNESIUM BALL

35 g



ZST001

NUT TOOL OPENER



ZST002

NUT TOOL



VSB003

QB BELT

New design with QB buckles.



ZSM005

MAGNESIUM CUBE

56 g



VSS001

SLACK LINE

Length: 11 m/ 12,03 yd.



VSB004

BELT



VSC005

X-BAGS

Large chalk bags ideal for bouldering, perfect velcro closing.



ZSM003

MAGNESIUM LIQUID

100 ml



ZSP001

WHISTLE



VSB002

CHALK BELT



CLIMBING SHOES



ZBS001
SHOGUN



ZBR001
RONIN



ZBK001
KANREI

CLIMBING SHOES

New design, new colours. Excellent value.

Upper: synthetic leather 1,4 - 1,6 mm
Size: 35 - 47 (EUR), 3-12 (UK)



See pages 41/42

new

orange

ZTH001

GALEOS

Universal helmet for all kind of sports activity (climbing, Via ferrata and skialpine).

Weight: 409 g
Size: UNI 53 - 62
Colour: white, orange, blue
Material: ABS, polystyrene, polyester

EN 12492 CE



blue



white

HELMETS



new

ZSH001

CLAIR

High efficient 7 LED headlamp with 5 lighting modes (3 lighting modes, blink mode and SOS mode).

Battery: 3 x AAA
Light: 7 x LED
Light quantity: 105 h (7 x LED), 160 h (1 x LED)
Distance: 20 m (7 x LED), 10 m (1 x LED), 300 m (SOS)



CRAMPONS & ICE AXE



ZTM001

MACHKI

Steel twelve points ice climbing crampons with universal binding. It is suitable for tracking, climbing and skialpine.

Weight: 920 g/ pair
Size: 36-48 in EU
Antiboot: plastic
Material: steel and plastic

EN 893



ZTC001

CHACKAN

Light weight ice axe for tracking and mountaineering. Leash attached.

Handle: AL 7075
Head: Steel
Weight: 415 g
Length: 55-60-65 cm
Type: B

EN 13089



ZSP002

DEER

Three parts extendable poles for trekking. Adjustable handle.

Weight: 580 g/ pair
Free length: 135 cm
Folded length: 67 cm



SLEEPING BAGS & TENTS

ZCM001

MONTANA

-10 °C / -17 °C / -38 °C

The most insulated sleeping bag in the Rock Empire line. The Quatrotherm three layers ensures highly effective insulation.

Size:	(Long) 230x80x50 cm, (90,55x31,50x19,69 in) (Reg.) 205x80x50 cm, (80,71x31,50x19,69 in)
Weight:	(Long) max. 2960 g / min. 2800, (104,41oz./ 98,77oz.) (Reg.) 2585 g / 2435 g, (91,18 oz./ 85,89 oz.)
Filling:	Quatrotherm, 180 g/m ² x 3
Outside m.:	44D 260T Nylon Tactel Ripstop
Inner m.:	44D 237T Nylon Tactel Taffeta
Cover:	(Long) 56x32 cm, (22,05x12,60 in) (Reg.) 51x28 cm, (20,08x11,02 in)
Temps:	EN13537 (comfort/limit/extreme) -10 °C / -17 °C / -38 °C




ZCA001

ARKTIDA

-3 °C / -9 °C / -28 °C

A comfortable sleeping bag for cold nights. Synthetic fibre in two layers ensures warmth and comfort. Arktida is available also in "Plus" type.

Size:	(Long) 230x80x50 cm (90,55x31,50x19,69 in) (Reg.) 205x80x50 cm (80,71x31,50x19,69 in) (Small) 195x75x48 cm (76,77x29,53x18,90)
Weight:	(Long) 1960 g/2120 g (74,78 oz. / 69,14 oz.) (Reg.) 1670 g/1830 g (64,55 oz./ 58,91 oz.) (Small) 1530 g/ 1400 g (53,97 oz./ 49,38 oz.)
Filling:	DuPont® Thermolite Quallo, 160 g/m ² x 2
Outside m.:	44D 234T Tactel Nylon Ripstop
Inner m.:	44D 237T Tactel Soft Nylon
Cover:	(Long) 46x26 cm (18,11x10,24 in) (Reg.) 46x24 cm (18,11x9,45 in) (Small) 43x20 cm (16,93x7,87 in)
Temps:	EN13537 (comfort/limit/extreme) -3 °C / -9 °C / -28 °C



Arktida



Arktida +

ZCB001

BLIZZARD

-2 °C / -8 °C / -27 °C

A sleeping bag with optimum filling for severe conditions.

Size:	(Long) 230x80x50 cm, (90,55x31,50x19,69 in) (Reg.) 205x80x50 cm, (80,71x31,50x19,69 in) (Small) 195x75x48 cm, (76,77x29,53x18,90)
Weight:	(Long) 2220 g / min. 2060 g, (78,31oz. /72,66 oz.) (Reg.) 1960 g / 1810 g (69,14 oz. /63,85 oz.) (Small) 1710 g / 1860 g (65,61 oz. /60,32 oz.)
Filling:	DuPont Termolite Quallo®, 150 g/m ² x 2
Outside m.:	70D 210T Nylon Taffeta
Inner m.:	70D 210T Nylon Taffeta
Cover:	(Long) 46x27 cm, (18,11x10,63 in) (Reg.) 46x24 cm, (18,11x9,45 in) (Small) 43x20 cm, (16,93x7,87 in)
Temps:	EN13537 (comfort/limit/extreme) -2 °C / -8 °C / -27 °C



ZCC001

CYKLOTOUR

+4 °C / -2 °C / -18 °C

The most popular universal sleeping bag for all those who like to spend their free time in nature.

Size:	(Long) 230x80x50 cm, (90,55x31,50x19,69 in) (Reg.) 205x80x50 cm, (80,71x31,50x19,69 in) (Small) 195x75x48 cm, (76,77x29,53x18,90)
Weight:	(Long) 1560 g / 1420 g, (55,03 oz./ 50,09 oz.) (Reg.) 1390 g / 1250 g, (49,03 oz./ 44,09 oz.) (Small) 1340 g / 1200 g, (47,27 oz./ 42,33 oz.)
Filling:	DuPont® Termolite Quallo, 200 g/m ² x 1
Outside m.:	44D 260T Nylon Tactel Ripstop
Inner m.:	44D 237T Nylon Tactel Taffeta
Cover:	(Long) 43x20 cm, (16,93x7,87 in) (Reg.) 43x19 cm, (16,93x7,48 in) (Small) 41x18 cm, (16,14x7,09 in)
Temps:	EN13537 (comfort/limit/extreme) +4 °C / -2 °C / -18 °C



ZCO001

ONTARIO

+3 °C/ -2 °C / -19 °C

This is a popular sleeping bag for all year use. Zipper cover trimming, warming collar. Ontario is available also in "Plus" type.

Size: (Long) 230x80x50 cm, (90,55x31,50x19,69 in)
(Reg.) 205x80x50 cm, (80,71x31,50x19,69 in)
(Small) 195x75x48 cm, (76,77x29,53x18,90)

Weight: (Long) max.1710 g / min.1570, (60,32 oz./ 55,38 oz.)
(Reg.) 1580 g / 1450 g, (55,73 oz./ 51,15 oz.)
(Small) 1550 g / 1420 g, (54,68 oz. / 50,09 oz.)

Filling: Quatrotherm upper part 160 g/m²x2,
lower part 180 g/m²x1

Outside m.: 70D 210T Nylon Taffeta
Inner m.: 70D 210T Nylon Taffeta
Cover: (Long) 43x23 cm, (16,93x9,06 in)
(Reg.) 43x20 cm, (16,93x7,87 in)
(Small) 41x19 cm, (16,14x7,48 in)

Temps: EN13537 (comfort/limit/extreme)
+3 °C/ -2 °C / -19 °C



Ontario

Ontario +



ZCB002

BIKE

+7 °C/ +2 °C / -13 °C

Ultralight sleeping bag. Thanks to the material used it is very easy to fold, excellent for lovers of summer cycling tours. Ideal for summer camping.

Size: 220x80x50 cm (86,61x31,50x19,69 in)
Weight: max. 1210 g / min. 1100 g, (42,68 oz./ 38,80 oz.)
Filling: DuPont® Thermolite Quallo, 125 g/m² x 1
Outside m.: 40D 238T Nylon Ripstop
Inner m.: 40D 237T Nylon Tactel
Cover: 18x42 cm (7,09x16,54 in)
Temps: EN13537 (comfort/limit/extreme)
+7 °C/ +2 °C / -13 °C



new

ZCJ001

CAMPER

+10 °C/ 0 °C / -9 °C

A blanket sleeping bag for all outdoor activities.

Size: 210x90 cm
Weight: 2150 g
Filling: Hollow fiber, 150 g/m² x 2
Outside m.: PES Diamond DWR
Inner m.: Cotton flanel
Colour: olive
Temps: (comfort/limit/extreme)
+10 °C/ 0 °C / -9 °C

ZTC001

ALASKA

An ultra light tent suitable for biking and hiking. One apse to keep your backpacks safely inside.

Outside tent: 75D 185T Polyester Taffeta, Silicone, 4000 mm
Inner tent: Nylon Ripstop
Flooring: Nylon Oxford 100D 10000 mm
Weight: 2,4 kg (84,66 oz.) / 2,9 kg (102,29 oz.)
Size: 210 x 140 x 115 cm / 82,68 x 55,12 x 45,28 in.
Cover: 40 x 15 x 16 cm / 15,75 x 5,91 x 6,30 in.



SILICONE


inner tent

ZTC002

ALPINE 2

A light tent for 2 or 3 persons designed for hiking and outdoor activities. Entrances located on both sides ensure comfortable entry.

Outside tent: 75D 185T Polyester Ripstop, Silicone, 4000 mm
Inner tent: Nylon Ripstop
Flooring: Nylon Oxford 100D 10000 mm
Weight: 3,4 kg (119,93 oz.) / 3,9 kg (137,57 oz.)
Size: 220 x 160 x 120 cm / 86,61 x 62,99 x 47,24 in.
Cover: 40 x 17,5 x 16 cm / 15,75 x 6,69 x 6,30 in.



SILICONE



inner tent

ZTC003

ALPINE 3

Tent for 3 or 4 people. A bar in the upper part creates two spacious apses. It is suitable for all year round use in any climatic conditions.

Outside tent: 75D 185T Polyester Taffeta, Silicone, 4000 mm
Inner tent: Nylon Ripstop
Flooring: Nylon Oxford 100D 10000 mm
Weight: 3,9 kg (137,57 oz.) / 4,50 kg (158,73 oz.)
Size: 220 x 215 x 130 cm / 86,61 x 84,65 x 51,18 in.
Cover: 42 x 17,5 x 16 cm / 16,54 x 6,88 x 6,30 in.



SILICONE

inner tent



ZRC012

CARABINER STEEL OVAL

Carabiner: steel
Weight: 170 g/5,97 oz.
Gate aperture: 25 mm/1 in
Strength: 25/8/8 kN
Style: polished

EN 362 / EN 12275



ZRC013

CARABINER STEEL SCREW

Carabiner: steel screw - D
Weight: 223 g/7,86 oz.
Gate aperture: 25 mm/1 in
Strength: 45/13/20 kN
Style: polished

EN 362



ZRC007

HMS 120 TWIST LOCK

Carabiner: HMS Twist Lock
Weight: 93 g/3,28 oz.
Strength: 24/8/8 kN
Gate aperture: 23 mm/0,91 in
Style: eloxed

EN 362 / EN 12275



ZWB002

R.E. ASCENDER

Excellent holding power, great rubber grip.
 For right or left hand.

Weight: 220 g/7,8 oz.
Rope diameter: 8 - 11 mm
Style: grey eloxed

EN 567

ZWB001

R.E. DESCENDER

Self blocking rappel break.

Weight: 325 g/11,5 oz.
Rope diameter: 8 - 11 mm
Style: grey eloxed

EN 341/A



VWD001

DOUBLE DECKER

Strength: 22 kN
Length: 100 cm
Weight: 210 g

EN 354 / EN 795.B



VWL001

LANYARD Y

Strength: 22 kN

EN 354 / EN 795.B




VOD001

OPEN SLINGS Dyneema

Number	Length	Strength	Width
O5261060	60 cm/23 in	22 kN	12 mm /0,47 in
O5264080	80 cm/31 in	22 kN	12 mm /0,47 in
O5265120	120 cm/47 in	22 kN	12 mm /0,47 in
O5266150	150 cm/59 in	22 kN	12 mm /0,47 in

EN 354 / EN 795.B



ZVA001

ABSORBER

Webbing inhibitor of kinetic energy during a fall, to be used with sling no longer than 2m in accordance to Norm EN 354 and EN 355

Length after the seam tear: 164 cm
Length: 26 cm

VWL3

LANYARD I

Strength: 22 kN
Diameter: 11 mm
Colour: White, Red

EN 354 / EN 795.B



VOV001

DOUBLE SLINGS (PAD)

Number	Length	Strength	Width
O5211062	60 cm/23 in	25 kN	20 mm /0,78 in
O5212082	80 cm/31 in	25 kN	20 mm /0,78 in
O5213122	120 cm/47 in	25 kN	20 mm /0,78 in
O5214152	150 cm/59 in	25 kN	20 mm /0,78 in

EN 354 / EN 795.B

VUL001

SKILL LITE

Light, full body harness for protection in case of falls. Fully adjustable.

Weight: 750 g/26,4 oz.



- 2 GEAR LOOPS
- 4 QB BUCKLES
- TIE-IN POINT ON THE BACK

EN 361

CE 1019

VUC003

SKILL CHEST

To be used only in combination with Skill Belt harness. The carabiner is not a part of the product and can be ordered separately.

Weight: 400 g/14,11 oz.
 (One size fits all)
 EN 361

- 4 QB BUCKLES
- FULLY ADJUSTABLE



VUB001

SKILL BELT

Working harness suitable for work and constructions.

Weight: 990 g/35 oz.
 (XS-M)

- 2 GEAR LOOPS
- GEAR LOOPS CAP. 60 KG
- 2 POSITIONING HOOKS
- COMFORTABLE PADDING
- 4 QB BUCKLES

EN 358 / EN 813

CE 1019

Size	XS-M	L-XXL
A (cm)	68 - 100	80 - 130
A (in)	26 - 39	31 - 51
B (cm)	50 - 70	56 - 75
B (in)	20 - 27	22 - 30



VUU001

SKILL UNI

Full body harness for work and constructions.

Weight: 1650 g/58 oz. (XS-M)

- 2 GEAR LOOPS
- GEAR LOOPS CAPACITY 60 KG
- 2 STEEL POSITIONING HOOKS
- WIDE RANGE OF ADJUSTING
- COMFORTABLE PADDING
- 3 TIE IN POINTS
- 8 QB BUCKLES

EN 361 / EN 358 / EN 813

CE 1019



Size	XS-M	L-XXL
A cm	68-100	80-130
B cm	50-70	56-75
A in	26-39	31-51
B in	20-27	22-30



01 White

ZLS003

STATIC 11

Diameter: 11
Type: A
Falls: 10
Tenacity: 29 kN
Weight: 79 g/m
Colour: white, black, blue, olive
Length: 30, 40, 50, 60, 70, 80, 100, 200 (mm)

EN 1891

CE 0408



- 02 Blue
- 03 Red
- 04 Olive
- 05 Black

VUS005

SPECTRUM

A universal and light harness for work, rescue and climbing. A harness with one main tie in loop and two additional tie in points. Confirming to European work and climbing norms. CE 1019, EN 358, EN 813 and EN 12277.

Weight: 600 g/ 21 oz.
Size: XS-M, M-XXL
Colour: Red



- ADJUSTABLE LEG LOOPS
- 4 QB BUCKLES
- 4 GEAR LOOPS

EN 358 / EN 813

CE 1019

Size	XS-M	M-XXL
A cm	68-100	80-130
B cm	50-70	56-75
A in	25-33	32-39
B in	19-23	22-26



FERRATA set 1



Galeos




Eight Vario



Sling 150 cm



Speedy QB



Inhibitor Tech



PACKING

PEAK CLASSIC set



Peak QB

FERRATA set



Eight Vario



Speedy QB



Inhibitor Tech



Sling 150 cm

FIRST set



Peak QB



Magnesium bag 350 g



Chalk bag

STREAK QB set 1



Streak QB



HMS 120



Magnesium ball 35 g



R.E. Guard

OR



R.E. Eight



Chalk bag

STREAK QB set



Streak QB



HMS 120



R.E. Guard

OR



R.E. Eight

AUSTRALIA
INTERTREK PTY LTD
Unit 31, 28 Barcoo Street,
Roseville NSW 2069
Tel.: +61294760672
Fax: +61 2 9417 5722
peter@intertrek.com.au
sales@intertrek.com.au

AUSTRIA
HASELSTEINER & RIEGLER OHG
Patertal 31
Waidhofen/ Ybbs A-3340
Tel.: +43-744-25 20 53
Fax: +43-744-25 50 56
berg.condor@aon.at

BELGIUM
SQUARE FACTORY SPRL
Papenkasteel 21
B-1180
Tel.: +3223722214
Fax: +3223722214
jean.antoinne@skynet.be

BRASIL
M. ARNAUD & CIA LTDA
Rua Alfredo Ortenzi
125 - Jd. Sao Jose
12916-190 Braganca Paulista-SP
Tel.: +55-11-46 03 19 02
Fax: +55-11-40 33 86 87
adm@m-arnaud.com.br
www.m-arnaud.com.br

BULGARY
ODYSSEIA-IN
Stamboliiski 20-V blvd.
Sofia
Tel.: +359-2-98 90 538
Fax: +359-2-98 03 200
odysseia@omega.bg
www.odysseia-in.com

CANADA
ROCK EMPIRE
1023 Glacier View Dr.
Garibaldi Highlands Squamish
BOX 3522
Tel.: +1-604-898 4766
Fax: +1-604-898 4198
info@rockempire.com

CHILE
JUST CLIMB
Soc. Com. OSSHER Ltda.
Av. Apoquindo 4900 Of. 112
Las Condes, Santiago
Phone/Fax: +56-2-2639499
www.justclimb.cl

CHINA
G-VIEW ADVENTURE EQUIPMENT CO.
Room 17008, Building 2,
MAPLES INT. CENTER
No. 32, Xizhimen North Street,
Haidian, Distrikt
100082, Beijing, China
Tel: 0086-10-6836 5520 0086-10-6836 5520
Fax: 0086-10-6836 5520

CZECH REPUBLIC
HUDYSPORT A.S.
405 02 Bynovec 138
Czech Republic
Tel.: +420 412 511 952
Fax: +420 412 511 955
info@hudy.cz
www.hudy.cz

DENMARK
FJELD & FRITID
Frederiksborggade 28
DK-1360 Kobenhavn K
Tel.: +45-33-11 22 73
Fax: +45-33-15 50 05
sk@fjeld-fritid.dk

ESTONIA
DARF OÜ
Jamma 12
Tallin 11621
Tel.: +372 6770 289
yllar@redfox.ee
www.redfox.ee

FINLAND
MOUNTAIN SHOP FINLAND LTD.
HÄMEENTIE 40
FIN- 00500 HELSINKI
Tel.: +35896802996
Fax.: +35892600085
contact@mountainshop.fi
http://www.mountainshop.fi/

FRANCE
ALPIN EAST DISTRIBUTION
9 chemin du Bonnet
74310 Les Houches
Tel: +33 (0)4 0 53 51 70
Cell: +33 (0)6 78 02 91 36
info@alpineast.fr
www.alpineast.fr

GREECE
POLO S.A.
62, Zissimopoulou St., P. Faliro
17564 Athens
Tel: +30 210 942 8200
Fax +30 210 943 0188
info@polo.gr
www.polo.gr

GEORGIA
MOGZAURI LTD.
Zagariadze st. 12
0186 Tbilisi
Tel: +995 323 111 117
Fax: +995 32 39 05 36
Mob: +995 95
info@mogzauri.ge
www.mogzauri.ge

HONG KONG
RC OUTFITTERS
6/F Oriental Hse
24-26 Argyle Street
Mongkok, Kowloon
Tel: +852 2390 0020
Fax +852 2398 3551
info@alink.com.hk

HUNGARY
MOUNTEX
Hungary 2000 Szentendre
Rozsa u. 16
Tel.: +36 26 501 220
Fax: +36 26 501 221
mountex@mountex.hu
www.mountex.hu

INDIA
AVI INDUSTRIES
13, Shriji Sadan
352, Chandavarkar Rd
Matunga E, Mumbai
Maharashtra - 400 019
Tel.: +91 22 241 43 810
Tel.: +91 22 562 55 492
avinashkamath@gmail.com
www.aviindustries.com

IRAN
PISHGAMANNEJAT ELEYA
#12, floor 13, Kaveh bus. centre
vale-e-asr Ave, Monereyh sq
Tehran

ISRAEL
ALPINE STYLE
Hachshmonaim,Tel Aviv 61204
P.O. Box 20536
Tel: +972-(0)72-250-50-44
Fax: +972-(0)72-250-50-66

ITALY
KINOBI
Via Storta
31033 Salvartosa di Castelfranco Veneto
Tel.: +39 0423 49 61 65
Fax: +39 0423 49 61 65
kinobi@libero.it

JAPAN
MAGIC MOUNTAIN CO., LTD.
2-8-5 Nobidone
352-0011 Niiza City, Saitama
Tel.: +81-48-480 0088
Fax: +81-48-480 0089
magic@oregano.ocn.ne.jp

LATVIA
VESSPO
PO BOX 155
LV-1001 RIGA
Tel.: +371 736 0330
Fax: +371 737 8427
vesspo@latnet.lv

MALAYSIA
STRETCHMARKS ASIA SDN BHD
B-10-3 Phileo Promenade
189, Jalan Tun Razak
Kuala Lumpur 50400
Tel.: +60322825204
Fax: +60322845184

MALTA
SURPLUS & ADVENTURE
Main Street Mosta
Tel./Fax.: 00356 21420454
Mob.: 00356 99460046
info@surplusadventure.com
http://www.surplusadventure.com

NETHERLANDS
VERTIGO
Industrieweg 55
3044 Rotterdam
Tel.: +31 10 466 21 99
Fax: +31 10 265 10 61
info@vertigo-climbing.com
www.vertigo-climbing.com

CH.O.A. VAN DER VALK B.V
Het TOUWHUIS
Goudsesingel 85-3031 EE
Rotterdam
The Netherlands
Tel: 0031 (0)10 411 18 15
Fax: 0031 (0)10 411 18 16
www.touwhuis.nl

NEW ZEALAND
OMS
29a Albert St, PO Box 117
Rangiora
Tel.: +64033106401
Fax: +64033106402
office@oms.co.nz
www.oms.co.nz

NORWAY
7 BLÄNER
Auneveien 4
N-7340 Oppdal
Tel: +47 72 42 31 00
Fax: +47 72 42 31 01
post@7blaner.no

PERU
MONO BLANCO DISTRIBUCION
Calle Melgar. Residencia el Carmen
casa 11 dep 2
Cayma Arequipa
Peru
Tel: 00 51 54 600 833

POLAND
NAMASTE
Literacka 81
60-461 Poznan
Tel.: +48 609 91 00 90
biuro@rockempire.pl
www.rockempire.pl

ROMANIA
GD ESCAPEDE
Calea Mosilor Nr. 27, Sector 3
Bucuresti
Tel.: +401 314 40 71
Fax: +401 314 40 71
himalaya@rdslink.ro

RUSSIA
THIRD POLE
Remeslennaya ul. 7 korp. 1
PO Box 320
197110 St. Petersburg
Tel: +7 812 449 28 88
Fax: +7 812 449 28 89
vasya@redfox.ru

SINGAPORE/ CAMBODIA/ PHILIPPINES
THAILAND/ VIETNAM
EXPONENT CHALLENGE TECHNOLOGY
ASIA PTE LTD
48 Toh Guan Road East no. 05-153
Enterprice Hub. Singapore 608586
Tel: 65159363
Fax: 65159285
www.exponentasia.com.sg

SLOVENIA
KIBUBA D.O.O.
Petkova 60
Ljubljana
Tel.: +386 41 393 633
rok.stritar@kibuba.com

SOUTH KOREA
NELSON SPORTS KOREA
#905 Ilsan Techno T.
1141-1 Baeksuk Dong, Ilsan Gu
Goyang-si, Kyunggi-do
Tel.: +82236723501
Fax.: +82236723504
ilikeclimb@hanmail.net

SPAIN/ PORTUGAL/ ANDORA
FIXE
Sant Quirze de Besora
08280 Barcelona
Tel.: +34 93 855 0042
Fax: +34 93 855 1278
info@fixeclimbing.com
www.fixeclimbing.com

SWEDEN
NORTH STAR TRADING
Jarnvagsgatan 3
Malmberget 98232
Tel.: +46 970 25 183
Fax: +46 970 25 483
info@northstar.se

SWITZERLAND
BÄCHLI BERGSPORT
Eschenstrasse 10
8603 Schwerzenbach
Tel.: +41 18 26 76 76
Fax: +41 18 26 76 86
baechli@baechli-bergsport.ch
www.baechli-bergsport.ch

TAIWAN
FUTAI COMPANY LTD.
5th Floor,No.33
Lane146,Shin-Hu 2nd Road
Neihu District, Taipei
Taiwan
Tel: 886 -2 2796-7373
Fax: 886 -2-2791-8677

TÜRKIYE
CEBIT ENDÜSTRİYEL LTD STİ
Çetin Emeç Bulvarı 1065 Cad.
1309 Sokak No:7
B Blok Daire No:3A
Öveçler Ankara
TÜRKIYE
Tel: 0090 3122305137 0090 3122305137
Fax:0090 3124726852

UK
CLIMBHIGH UK
Southam
Warwickshire
Tel.: +44 (0) 1926 678333
Fax.: +44 (0) 1926 353476
sales@climbhigh.co.uk
www.climbhigh.co.uk

UKRAINE
VOSKHOZHDENIJE (THE CLIMB)
Artema 8s st.
Dnepropetrovsk
Tel.: +38 056 785 62 29
Fax.: +38 056 239 87 68
shop@alp.dp.ua
www.alp.dp.ua